

## 2 GHz H/V + 5 GHz H/V Dual Radio 90 Degree Sector Antenna Side by Side Alignment (Two Sectors In One Shell)

### KPPA-2HV5HV-90SS

#### Configuration

Design	Sector
Band Type	Dual
Radiation Pattern	Directional
Polarization	Vertical/Horizontal
Connector Type	N Female
Interface 2	N Female
Interface 3	N Female
Interface 4	N Female
Number of Ports	4

#### Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	2,400		5,900	MHz
Input VSWR			2:01	
Impedance		50		Ohms
Gain		15.2		dBi
Electrical Downtilt		1		Degrees
Horizontal (Azimuth) HPBW		90		Degrees
Input Power			50	Watts

#### Electrical Specification Notes:

Max input power is 50W per port.

#### Specifications by Band

Description	Band 1	Band 2	Band 3	Band 4	Band 5	Units
Range	2.3 to 2.7	5.2 to 5.9				GHz
Gain	15.2	15.9				dBi
Horizontal HPBW	90	90				Degrees
Vertical HPBW	7.2	4.9				Degrees
Cross Polar Ratio	29	30				
Port Isolation	29	26				dB
Front to Back Ratio	26	28				dB

#### Mechanical Specifications

Radome Material	PVC
Housing Plating/Color	Powder Coat
<b>Size</b>	

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications:

[2 GHz H/V + 5 GHz H/V Dual Radio 90 Degree Sector Antenna Side by Side Alignment \(Two Sectors In One Shell\) KPPA-2HV5HV-90SS](#)

## 2 GHz H/V + 5 GHz H/V Dual Radio 90 Degree Sector Antenna Side by Side Alignment (Two Sectors In One Shell)

### **KPPA-2HV5HV-90SS**

---

Length	36.2 in [919.48 mm]
Width	11.4 in [289.56 mm]
Height	6 in [152.4 mm]
Mounting Mast Diameter	1.25 to 3.5 in [31.75 to 88.90 mm]
Weight	38 lbs [17.24 kg]

**Mechanical Specification Notes:**

UV protection is UV resistant powder coat.

Comes with metal radio case of UBNT or ePMP radios and an adapter for external mounting of PMP radios.

#### **Environmental Specifications**

**Temperature**

Operating Range	-40 to +60 deg C
Wind Survivability	100 MPH [160.93 KPH]
Wind Loading	

#### **Plotted and Other Data**

Notes:

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications:  
[2 GHz H/V + 5 GHz H/V Dual Radio 90 Degree Sector Antenna Side by Side Alignment \(Two Sectors In One Shell\) KPPA-2HV5HV-90SS](#)

## 2 GHz H/V + 5 GHz H/V Dual Radio 90 Degree Sector Antenna Side by Side Alignment (Two Sectors In One Shell)

### KPPA-2HV5HV-90SS

---

#### Appendix

**Electrical Downtilt:** Angle in the antenna's elevation pattern in which the maximum gain occurs.

**Gain:** Antenna's average gain.

**Front to Back Ratio @ 180°±30°:** Average difference between the antenna's maximum gain and the maximum gain in the antenna's back lobe over ±30° angles.

**Cross-polarization Ratio (dB):** Typical difference between the co-polarization and cross-polarization gain across the sector's 3 dB Beam Width.

Dedicated to serving the needs of the Wireless Internet Service Provider (WISP) market, KP Performance Antennas offers purpose built products that reliably perform in the field. KP Performance Antennas product line consists of Yagi, Grid, Omni, Dish and other style antennas that operate in the 900 MHz, 2.4 GHz, 3 GHz, and 5 GHz frequencies.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [2 GHz H/V + 5 GHz H/V Dual Radio 90 Degree Sector Antenna Side by Side Alignment \(Two Sectors In One Shell\) KPPA-2HV5HV-90SS](#)

URL: <https://www.kpperformance.com/one-2ghz-slant-one-5ghz-hv-antennas-in-one-radome-561-p.aspx>

The information contained within this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part in order to implement improvements. KP Performance reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. KP Performance does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and KP Performance does not assume liability arising out of the use of any part or document.